

1. **AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) In combination a tube for storing micro-litre volumes and a multi-well plate having a top surface and a bottom surface and through bores having a substantially square cross section parallel to the top and bottom surfaces extending through the plate from the top surface to said bottom surface, said through bores for receiving one tube in a corresponding one of the through bores in said multi-well plate, the tube having first and second ends, the tube being open at the first end and a second closed end, ~~adapted at the second end of the tube for to engage~~ engaging the bottom surface of the multi-well plate, the tube comprising:

a body portion of substantially square cross section corresponding to the cross section of the through bores;

a shoulder portion near said one end of the body portion and providing the open end of the tube, the cross section of the shoulder portion being greater than that of the body portion; and,

a deformable formation having a cross section larger than the cross section of the bores providing a connector portion at the second end of the tube, said formation being deformable to fit through the through bore and to extend through the bottom surface to form a snap fit engagement with said bottom surface of the multi-well plate.

2. (Currently Amended) ~~A tube~~ The combination according to claim 1, further comprising a closure member disposed to close the open end.

3. (Currently Amended) The combination ~~A tube~~ according to claim 2, wherein the closure member comprises a foil cap.

4. (Currently Amended) The combination ~~A tube~~ according to claim 2, wherein the closure member is a self-sealing member.

5. (Currently Amended) The combination ~~A tube~~ according to claim 4, wherein the self-sealing closure member is a split septum.

6. (Currently Amended) The combination ~~A tube~~ according to claim 1, wherein the body and shoulder portions are formed separately from the snap fit connector portion.

7. (Currently Amended) The combination ~~A tube~~ according to claim 6, wherein the snap fit connector portion has a dot code on it.

8. (Currently Amended) The combination ~~A tube~~ according to claim 6, wherein the body and shoulder portions are formed from a translucent or transparent material.

9. (Currently Amended) The combination ~~A tube~~ according to claim 8, further comprising a spigot at the interface between the body portion and the formation ~~snap fit connector portion~~.

10. (Currently Amended) The combination ~~A tube~~ according to claim 1, wherein the body portion and snap fit connector portion are co-moulded.

11. (Currently Amended) In combination a tube for storing fluid and a multi-well plate having a top surface and a bottom surface and through bores having a substantially square cross section parallel to the top and bottom surfaces extending through the plate from the top surface to said bottom surface, said through bores for receiving one tube in a corresponding one of the through bores in said multi-well plate, the tube having first open end and a second closed end ~~ends and being open at the first end and adapted to engage, the closed end for engaging~~ the bottom surface of the multi-well plate, the tube comprising:

a body portion of substantially square cross section corresponding to the cross section of the through bores;

a shoulder portion near said first end of the body portion and providing the open end of the tube, the cross section of the shoulder portion being greater than that of the body portion; and

a deformable flared ~~connector~~ portion at the second end of the tube having a cross section greater than the through bores and being deformable to fit through the through bore and to extend through the bottom surface to form a snap fit engagement with the bottom surface of the multi-well plate;

said flared ~~connector~~ portion having an identification code provided thereon.

12. (Currently Amended) The combination ~~A tube~~ according to claim 11, wherein the connector and body portions are formed separately from different materials.

Add the following new claims:

13 (New) A tube for storing fluid for use with a multi-well plate having a bottom surface and through bores having a substantially square cross section extending through the plate to said bottom surface, said through bores for receiving one tube in a corresponding one of the through bores in said multi-well plate, the tube having a first open end and a second closed end the closed end of the tube for engaging the bottom surface of the multi-well plate, the tube comprising:

a body portion having a substantially square cross section corresponding to the cross section of the through bores;

a shoulder portion near said first end of the body portion above the square cross section, the cross section of the shoulder portion being greater than that of the body portion; and

a deformable flared connector portion at the second end of the tube having a cross section greater than the through bores and being deformable to fit through the through bore and to extend through the bottom surface to form a snap fit engagement with the bottom surface of the multi-well plate, said flared connector portion having an identification code provided thereon.

14. A tube for storing fluid comprising:

a body portion having a substantially square cross section, an open upper end and a closed lower end;

a shoulder portion spaced below the upper end, the cross section of the body portion above the shoulder portion being greater than that of the body portion; and

a deformable flared connector portion at the lower end of the tube having a cross section greater than the body portion and being deformable, said flared connector portion having an identification code provided thereon.